

# RESTRICTED-USE PESTICIDE

Due to acute oral, acute dermal and primary dermal irritation toxicity. For retail sale for use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

## ZP TRACKING POWDER

For Indoor Use Only

### KILLS HOUSE MICE

ACTIVE INGREDIENT Zinc Phosphide (CAS #1314-84-7) ..... 10%  
 OTHER INGREDIENTS ..... 90%  
 TOTAL ..... 100%

## KEEP OUT OF REACH OF CHILDREN DANGER - POISON - PELIGRO



See back panel for First Aid and additional precautionary statements.

**NET WEIGHT: 1.1 lbs (500g)**

EPA REG. NO.: 12455-16

Manufactured By:

EPA EST. NO.: 12455-WI-1



3699 Kinsman Blvd.  
 Madison, WI 53704 U.S.A.  
 www.belllabs.com

NET  
 WT  
 500g

#### FIRST AID

Flush the product container or label with you when calling a poison control center or doctor for going for treatment. You may also contact 1-877-434-3944 for emergency medical treatment information. If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, or if a physician immediately, for information on pesticide products (including health hazards, medical emergencies, or pesticide products) call the National Pesticide Information Center at 1-800-858-7378.

#### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital.
- Do not induce vomiting.
- Do not administer anything by mouth or induce vomiting unless told to do so by the poison control center or doctor.

#### IF ON SKIN OR CLOTHING:

- Use off container and clothing.
- Remove contaminated clothing and shoes.
- Call a poison control center or doctor for treatment advice.

#### IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

#### TREATMENT FOR PET POISONING

If small pets eat, call veterinarian at once.

#### NOTE TO PHYSICIAN OR VETERINARIAN

Contains the phosphine-producing active Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, restrictions and precautions.

#### USE RESTRICTIONS:

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- Keep all other persons out of the treated area during application.

- Do not apply by any method, in any pest or target site not specified on this label.
- This product may only be used for the control of house mice. (Main exceptions: multi-family homes, industrial and agricultural buildings, and similar structures structures. The only exception is that the product may also be applied from the outside of the building into structural voids.)
- Apply only in locations inaccessible to children, pets, or domestic animals.
- Do not place bait near or under small children's foot springs.
- If using this product in agricultural buildings where livestock, wild, any stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open floor areas of rooms in which food or feed is handled or stored. Do not apply ZP TRACKING POWDER in areas where there is a possibility of contamination water, food, feed, feed, food or feed handling equipment, or milk or meat handling equipment or surfaces that come in direct contact with food.

#### APPLICATION DIRECTIONS:

**SELECTION OF TREATMENT AREAS:** Determine dry, undisturbed areas where house mice will most likely pick up ZP TRACKING POWDER on their feet as they travel during grooming. Generally these areas are along walls, by ground openings, in corners and concealed places. Inspect between floors and walls, or in locations where house mice or their signs have been observed. Nesting grids placed freshly on floor and place on sticks. Use ladders or other devices to locate house mice to treat through concealed areas. When using this product in homes, only treat in concealed, inaccessible places such as areas between floors and walls.

Evenly sprinkle 1 to 6 grams by lightly applying spoon (one to two level heaping, conical amounts) of ZP TRACKING POWDER approximately 3 by 24 inch patches. Using a handpowered duster, dust into wall voids and spaces between floors. While wearing waterproof gloves, wipe accessible, naked and dispose of all dead animals. Maintain ZP Tracking Powder in treated areas for seven days or until fresh signs of mouse activity cease to appear. Clean up any powder that is accessible and dispose of in accordance with disposal directions.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Fatal if swallowed. Fatal if absorbed through the skin. Causes skin burns. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Any person who touches carcasses or untreated bait following use of this product must wear waterproof gloves.

##### Personal Protective Equipment (PPE)

- All handlers, including loaders and applicators must wear:
  - Coveralls, long-sleeved shirt, rubber pants.
  - Chemical resistant shoes plus socks.
  - Waterproof gloves.
  - When mixing and loading, wear a chemical resistant apron.
  - When cleaning equipment, wear a chemical resistant apron.

#### User Safety Requirements

Follow manufacturer's instructions for donning and wearing PPE. If no such instructions for handling, use detergent and hot water. Wash and dry each PPE separately from other laundry. Wash the outside of gloves before removing. Remove PPE immediately after handling this product.

#### User Safety Recommendations

- Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing if PPE immediately if product gets on skin. Then wash thoroughly and put in a bag during.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Dogs, cats and other animals may be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment, wash water or runoff.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. These containers should and away from other chemicals.

**Pesticide Disposal:** Waste resulting from this use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. (If reused) Only for recycling or reconditioning, or purchase and dispose of in a sanitary landfill.



**DISCLAIMER:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the title of this product other than indicating on the label. To the extent consistent with applicable law, buyer assumes all risk of use and handling of this material when a purchase order is entered in conformity with label instructions.

1120125-11